

USER GUIDE

For

Pressure Vessel eService (Corppass)



Release Log

SN	Revision Number	Release Date	Release Log
1	V1.0	15 Nov 2023	iOSH 2.0 LE PV Release 1

Pressure Vessel eService (Corppass)

Contents

1	Steps to access Pressure Vessel eService	4
1.1	Log in Pressure Vessel eService for Business Users	4
2	Corppass	6
2.1	Pressure Vessel eService - Dashboard (Corppass).....	6
2.2	Pressure Vessel eService - Apply / Edit Type Approval	26
2.3	Pressure Vessel eService - Submit Repair Pressure Vessel Application (Corppass)	36
2.4	Pressure Vessel eService - De-register	47
2.5	Pressure Vessel eService - Apply Corporate Level Approval Application.....	53
2.6	Pressure Vessel eService - Update Corporate-Level Approval Application.....	67
3	Annex.....	76
3.1	Annex A (List of Enhancements for iOSH 2.0)	76
3.2	Annex B (Registration Summary).....	78
3.3	Annex C (Report of Examination of Pressure Vessel).....	80
3.4	Annex D (Certificate of Extension of Statutory Examination Period of Pressure Vessels at Workplaces.....	82

1 Steps to access Pressure Vessel eService

1.1 Log in Pressure Vessel eService for Business Users

1.1.1 Access the iOSH 2.0 portal, click on Log in to WSH eServices for Business Users

Register and manage Pressure Vessels

Authorised examiners can register, re-register pressure vessels, submit and amend pressure vessel examination reports. Owners can enquire and de-register pressure vessels.

- [Log in to WSH eServices for Business Users](#)
- [Log in to WSH eServices for Individuals](#)

● Service is online


Availability
24 hours

1.1.2 User will be redirected to log in with Corppass, scan the QR code with the Singpass application


Download apps from the official app stores ^

Please install the Singpass app from the official app stores only: Apple App Store, Google Play Store or Huawei AppGallery. Check that the app developer is 'Government Technology Agency' before downloading.

 **Log in with Singpass**
Your trusted digital identity




1.1.3 Select UEN/Entity ID



2 Corppass

2.1 Pressure Vessel eService - Dashboard (Corppass)


2.1.1 Access eService Dashboard




2.1.2 Quick links

Description in details:

- View Pressure Vessel - Navigate to the View Pressure Vessel section.
- Apply for Corporate Level Approval - Navigate to CLA (Corporate-Level Approval) inbox.
- Update Corporate Level Approval - Navigate to Approved CLA (Corporate-Level Approval) inbox.
- Type Approval - Navigate to Type Approval Inbox.




2.1.3 Navigate to CLA (Corporate Level Approval)



2.1.4 Action dropdown for CLA (Corporate-Level Approval)

Description in details:

- Edit - Edit the draft application record
- Make Payment - Redirect to the payment summary
- Delete - Delete the draft application record



2.1.5 Click on Apply for CLA

Access Pressure Vessel services.

[View Pressure Vessel](#) [Apply Corporate Level Approval](#) [Update Corporate Level Approval](#) [Type Approval](#)

Corporate Level Approval (CLA)
Draft record will be discarded after 60 days of inactivity

[Apply for CLA](#)

<input type="checkbox"/>	eSubmission No.	Application Date	Scheme	Workplace No.	Workplace Name	Status	Action
<input type="checkbox"/>	E20230605144		PVES 2021			Draft	Select

1 to 1 of 1
Items per Page: 5

< Prev 1 Next >

Approved Corporate Level Approval (CLA)


<input type="checkbox"/>	CLA No.	Scheme	Workplace No.	Workplace Name	Action
<input type="checkbox"/>	CLA202212345A0010-2023-001	PVES 2012	202212345A0010	COMPANY 16 PTE. LTD.	Select

1 to 1 of 1
Items per Page: 5

< Prev 1 Next >

2.1.6 User will be redirected to Apply Corporate Level Approval page

A Singapore Government Agency Website

 Representative User: User 180081828W
Role: Company Representative [Log out](#)

Home > [Apply Corporate Level Approval](#) > Applicant Details

Apply Corporate Level Approval

Apply Corporate Level Approval.

- 1 Applicant Particulars
- 2 CP Selection
- 3 Supporting Documents
- 4 Preview
- 5 Acknowledgement

e-Submission No:

Applicant Particulars


* NRIC
180081828W

* Name
[Text Field]


* Contact No.
[Text Field]

* Designation
[Text Field]


2.1.7 From the Dashboard CLA inbox, check on the entry




2.1.8 Click on Delete




2.1.9 Click on Proceed to confirm the deletion



2.1.10 Click on OK; the draft is deleted from the system



2.1.11 Navigate to Approved Corporate Level Approval (CLA)



2.1.12 Action dropdown for Approved Corporate Level Approval (CLA)

Description in details:

Update - Update the approved Corporate Level Approval (CLA) application.

Access Pressure Vessel services.

Approved Corporate Level Approval (CLA)

<input type="checkbox"/>	CLA No.	Scheme	Workplace No.	Workplace Name	Action
<input type="checkbox"/>	CLA202212345A0010-2023-001	PVES 2012	202212345A0010	COMPANY 16 PTE. LTD.	Select Update

1 to 1 of 1
Items per Page: 5

Repair Application
Draft application will be discarded after 60 days of inactivity

<input type="checkbox"/>	e-Submission No.	PV Reg. No.	Damage Reported Date	Status
<input type="checkbox"/>	PVR23000292	AR100484j	01/05/2023	Processing Application
<input type="checkbox"/>	PVR23000292	BE0100217L	01/05/2023	Processing Application
<input type="checkbox"/>	PVR23000287	SR100481A	02/05/2023	Approved
<input type="checkbox"/>	PVR23000321	SR100481A	08/05/2023	Approved

1 to 4 of 4
Items per Page: 5

2.1.13 Navigate to the Repair Application inbox

Access Pressure Vessel services.

Repair Application
Draft application will be discarded after 60 days of inactivity

<input type="checkbox"/>	e-Submission No.	PV Reg. No.	Damage Reported Date	Status
<input type="checkbox"/>	PVR23000292	AR100484j	01/05/2023	Processing Application
<input type="checkbox"/>	PVR23000292	BE0100217L	01/05/2023	Processing Application
<input type="checkbox"/>	PVR23000331	SR100527V		Draft
<input type="checkbox"/>	PVR23000287	SR100481A	02/05/2023	Approved
<input type="checkbox"/>	PVR23000321	SR100481A	08/05/2023	Approved


1 to 5 of 5
Items per Page: 5

View Pressure Vessel
Search Selection *
Select PV Reg No., Workplace No., AE Name
Filters


2.1.14 Click on the e-Submission No. hyperlink

Description in details:

- If the status is 'Draft' or 'Return for Clarification', the application is editable for submission.




2.1.15 The user will be redirected to the repair application details




2.1.16 From the repair application, check on the records

Description in details:

- The “Delete” and “Submit Repair Application(s)” buttons will be available for use.
- Submit Repair Application(s) – Navigate to the repair application preview page for a single submission.



2.1.17 To submit multiple repair applications, check on multiple records and click Submit Repair Application(s)



2.1.18 User will be redirected to Declaration

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative [Log out](#)

Pressure Vessel

Access Pressure Vessel services.

[Lifting Equipment](#) **Pressure Vessel**

Declaration

I hereby certify that the information given in this submission is true and correct to the best of my knowledge and belief. I am aware that legal actions may be taken against me if I had knowingly provided any false information.

[Submit →](#) [Cancel](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.1.19 Check on Declaration

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative [Log out](#)

Pressure Vessel

Access Pressure Vessel services.

[Lifting Equipment](#) **Pressure Vessel**

Declaration

I hereby certify that the information given in this submission is true and correct to the best of my knowledge and belief. I am aware that legal actions may be taken against me if I had knowingly provided any false information.

[Submit →](#) [Cancel](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.1.20 Click on Submit

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative [Log out](#)

Pressure Vessel

Access Pressure Vessel services.

[Lifting Equipment](#) **Pressure Vessel**

Declaration

I hereby certify that the information given in this submission is true and correct to the best of my knowledge and belief. I am aware that legal actions may be taken against me if I had knowingly provided any false information.

[Submit →](#) [X Cancel](#)


[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.


2.1.21 Acknowledgement message will be shown

Description in details:


The draft will be submitted successfully if all details are filled in correctly, otherwise an error message will be displayed.




2.1.22 From Repair Application inbox, check the entry and click Delete to delete the draft record



2.1.23 Click on Proceed; the draft record will be deleted from the system



2.1.24 Click on OK



2.1.25 Navigate to View Pressure Vessel

Access Pressure Vessel services.

Items per Page: 5

View Pressure Vessel

Search Selection *

Select PV Reg No., Workplace No., AE Name

Filters

Pressure Vessel Status: Select
Pressure Vessel Class: Select

Date Selection: Select

Reset Search

De-register →

Report vulnerability [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.1.26 Select the Search Selection

Access Pressure Vessel services.

Items per Page: 5

View Pressure Vessel

Search Selection *

Select PV Reg No., Workplace No., AE Name

Filters

Pressure Vessel Status: Select
Pressure Vessel Class: Select

Date Selection: Select


Reset Search

De-register →


Report vulnerability [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.1.27 User can use the additional filters to narrow down the search results



2.1.28 Click on Search



2.1.29 The result(s) will be shown in the below table

Access Pressure Vessel services.

Reset Search

De-register →

<input type="checkbox"/>	PV Reg No.	Workplace No.	Workplace Name	Status	Last Examination Date	Next Examination	Action
<input type="checkbox"/>	SR100527V	202212345A0019	COMPANY 25 PTE. LTD.	Due for Examination			Select ▾
<input type="checkbox"/>	AR100525V	202212345A0010	COMPANY 16 PTE. LTD.	Due for Examination			Select ▾
<input type="checkbox"/>	SR100522L	202212345A0010	COMPANY 16 PTE. LTD.	Working	03/05/2023	02/05/2025	Select ▾
<input type="checkbox"/>	BS100507L	202212345A0011	COMPANY 17 PTE. LTD.	Due for Examination			Select ▾
<input type="checkbox"/>	BR100506E	202212345A0011	COMPANY 17 PTE. LTD.	Due for Examination			Select ▾

1 to 5 of 23

Items per Page: 5 ▾

< Prev 1 2 ... 5 Next >

2.1.30 Action dropdown for View Pressure Vessels

Description in details:

- De-register - Navigate to the De-registration module
- Repair Pressure Vessel - Navigate to Submit Repair Application module

Access Pressure Vessel services.

Reset Search

De-register →


<input type="checkbox"/>	PV Reg No.	Workplace No.	Workplace Name	Status	Last Examination Date	Next Examination	Action
<input type="checkbox"/>	SR100527V	202212345A0019	COMPANY 25 PTE. LTD.	Due for Examination			Select ▾
<input type="checkbox"/>	AR100525V	202212345A0010	COMPANY 16 PTE. LTD.	Due for Examination			Select ▾
<input type="checkbox"/>	SR100522L	202212345A0010	COMPANY 16 PTE. LTD.	Working	03/05/2023	02/05/2025	Select ▾ De-register Repair PV
<input type="checkbox"/>	BS100507L	202212345A0011	COMPANY 17 PTE. LTD.	Due for Examination			Select ▾
<input type="checkbox"/>	BR100506E	202212345A0011	COMPANY 17 PTE. LTD.	Due for Examination			Select ▾

1 to 5 of 23


Items per Page: 5 ▾

< Prev 1 2 ... 5 Next >

2.1.31 User can check on the records and click on the De-register button to de-register the Pressure Vessel



2.1.32 For checked records, the user can click Export to Excel to generate an Excel copy of the Pressure Vessel



2.1.33 Click on Pressure Vessel Reg. No. hyperlink

Access Pressure Vessel services.

Reset Search

De-register →

<input type="checkbox"/>	PV Reg No.	Workplace No.	Workplace Name	Status	Last Examination Date	Next Examination	Action
<input type="checkbox"/>	SR100527V	202212345A0019	COMPANY 25 PTE. LTD.	Due for Examination			Select
<input type="checkbox"/>	AR100525V	202212345A0010	COMPANY 16 PTE. LTD.	Due for Examination			Select
<input checked="" type="checkbox"/>	SR100522L	202212345A0010	COMPANY 16 PTE. LTD.	Working	03/05/2023	02/05/2025	Select
<input type="checkbox"/>	BS100507L	202212345A0011	COMPANY 17 PTE. LTD.	Due for Examination			Select
<input type="checkbox"/>	BR100506E	202212345A0011	COMPANY 17 PTE. LTD.	Due for Examination			Select

1 to 5 of 23

Items per Page: 5

Export to Excel

< Prev 1 2 5 Next >

2.1.34 User will be redirected to View Pressure Vessel Particular

Description in details:

Refer to Annex B for the Registration Summary.

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative Log out

Home > View Pressure Vessel Particulars

View Pressure Vessel Particulars

View Pressure Vessel Particulars.

SR100522L

[Registration Summary](#)

Vessel Class:	Steam Receiver
Vessel Type :	Blow Down Tank
Table-top Autoclave :	No
Type Approval No.:	
Brand and Model :	TEST15866
Year Of Manufacturer(YYYY) :	2020
Volume(Litres):	20.00
Design Pressure(kN/sqm):	200.0
Mobility :	Mobile

2.1.35 From the dashboard, click on Type Approval

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Log out

Pressure Vessel

Access Pressure Vessel services.

Lifting Equipment **Pressure Vessel**

View Pressure Vessel Apply Corporate Level Approval Update Corporate Level Approval **Type Approval**

Corporate Level Approval (CLA)
Draft record will be discarded after 60 days of inactivity

Apply for CLA

Approved Corporate Level Approval (CLA)

<input type="checkbox"/>	CLA No.	Scheme	Workplace No.	Workplace Name	Action
<input type="checkbox"/>	CLA202212345A0010-2023-001	PVES 2012	202212345A0010	COMPANY 16 PTE. LTD.	Select

2.1.36 User will be redirected to the Type Approval Applications

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Log out

Home > Type Approval Applications

Type Approval Applications

Draft application will be discarded after 60 days

Type Approval Applications

Apply for Type Approval

e-Submission/Type Approval No.	Brand and Model	Manufacture Name	Design Safe Working Pressure (kN/sqm)	Status	Action
E-ACA22123	xyz xyz	manuf manuf	400	Suspended	
E-ACA22118	hgb53 fgh456	dghmgg	363.3	Revoked	
ACA23046	Korbec XT-100	Korbec Inc	200	Approved	
E-ACA22104				Draft	Select
E-ACA22107	Brand JKL Model MNO	Sample Manuf Name	400	Draft	Select

1 to 5 of 6

Items per Page: 5

1 2 Next

2.1.37 Action dropdown for Type Approval Applications

Description in details:

Draft status only

- Edit - Edit the application record
- Delete - Delete the application record

The screenshot shows the 'Type Approval Applications' page. At the top, there is a breadcrumb 'Home > Type Approval Applications' and a title 'Type Approval Applications' with a sub-note 'Draft application will be discarded after 60 days'. Below this is a section titled 'Type Approval Applications' with a button 'Apply for Type Approval'. A table lists applications with columns: 'e-Submission/Type Approval No.', 'Brand and Model', 'Manufacture Name', 'Design Safe Working Pressure (kN/sqm)', 'Status', and 'Action'. The table contains five rows. The third row, 'ACA23046', is highlighted. The fifth row, 'E-ACA22107', has a dropdown menu open over its 'Action' column, showing options: 'Select', 'Edit', and 'Delete'. Below the table, there is a pagination indicator '1 to 5 of 6' and a dropdown for 'Items per Page' set to 5. At the bottom, there is a 'Back to Dashboard' button.

e-Submission/Type Approval No.	Brand and Model	Manufacture Name	Design Safe Working Pressure (kN/sqm)	Status	Action
E-ACA22123	xyz xyz	manuf manuf	400	Suspended	
E-ACA22118	hgb53 fgh456	dghigg	363.3	Revoked	
ACA23046	Korbec XT-100	Korbec Inc.	200	Approved	
E-ACA22104				Draft	Select
E-ACA22107	Brand JKL Model MNO	Sample Manuf Name	400	Draft	Select Edit Delete

2.1.38 Click on Type Approval No. hyperlink


The screenshot shows the 'Type Approval Applications' page. At the top, there is a breadcrumb 'Home > Type Approval Applications' and a title 'Type Approval Applications' with a sub-note 'Draft application will be discarded after 60 days'. Below this is a section titled 'Type Approval Applications' with a button 'Apply for Type Approval'. A table lists applications with columns: 'e-Submission/Type Approval No.', 'Brand and Model', 'Manufacture Name', 'Design Safe Working Pressure (kN/sqm)', 'Status', and 'Action'. The table contains five rows. The third row, 'ACA23046', has its 'e-Submission/Type Approval No.' cell highlighted with a red circle. Below the table, there is a pagination indicator '1 to 5 of 6' and a dropdown for 'Items per Page' set to 5. At the bottom, there is a 'Back to Dashboard' button.

e-Submission/Type Approval No.	Brand and Model	Manufacture Name	Design Safe Working Pressure (kN/sqm)	Status	Action
E-ACA22123	xyz xyz	manuf manuf	400	Suspended	
E-ACA22118	hgb53 fgh456	dghigg	363.3	Revoked	
ACA23046	Korbec XT-100	Korbec Inc.	200	Approved	
E-ACA22104				Draft	Select
E-ACA22107	Brand JKL Model MNO	Sample Manuf Name	400	Draft	Select

2.1.39 User will be redirected to View Type Approval

Description in details:

Click on the 'Approval Letter' hyperlink to download the PDF copy



A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Home > View Type Approval

View Type Approval

View Type Approval

[Approval Letter](#)

Type Approval No : ACA23046

Application Status : Approved

Status Date : 22/03/2023

Applicant Particulars

NRIC :	S1234567D
Name :	MOM Tester
Designation :	IT Admin
Company :	MOM Pte Ltd
Contact No. :	91234567
Email :	tester@MOM.sg

2.2 Pressure Vessel eService - Apply / Edit Type Approval

2.2.1 Access eService (Corppass) Dashboard

A Singapore Government Agency Website

Ministry of Manpower

Representative User: User 180081828W
Role: Company Representative

Log out

Pressure Vessel

Access Pressure Vessel services.

Lifting Equipment **Pressure Vessel**

View Pressure Vessel Apply Corporate Level Approval Update Corporate Level Approval Type Approval

Corporate Level Approval (CLA)
Draft record will be discarded after 60 days of inactivity

Apply for CLA

Approved Corporate Level Approval (CLA)

<input type="checkbox"/>	CLA No.	Scheme	Workplace No.	Workplace Name	Action
<input type="checkbox"/>	CLA202212345A0010-2023-001	PVES 2012	202212345A0010	COMPANY 16 PTE. LTD.	Select

2.2.2 Click on Type Approval

A Singapore Government Agency Website

Ministry of Manpower

Representative User: User 180081828W
Role: Company Representative

Log out

Pressure Vessel

Access Pressure Vessel services.

Lifting Equipment **Pressure Vessel**

View Pressure Vessel Apply Corporate Level Approval Update Corporate Level Approval **Type Approval**

Corporate Level Approval (CLA)
Draft record will be discarded after 60 days of inactivity

Apply for CLA

Approved Corporate Level Approval (CLA)

<input type="checkbox"/>	CLA No.	Scheme	Workplace No.	Workplace Name	Action
<input type="checkbox"/>	CLA202212345A0010-2023-001	PVES 2012	202212345A0010	COMPANY 16 PTE. LTD.	Select

2.2.3 User will be redirected to Type Approval Applications

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Home > Type Approval Applications

Type Approval Applications

Draft application will be discarded after 60 days

[Apply for Type Approval](#)

e-Submission/Type Approval No.	Brand and Model	Manufacture Name	Design Safe Working Pressure (kN/sqm)	Status	Action
E-ACA22123	xyz xyz	manuf manuf	400	Suspended	
E-ACA22118	hgb53 fgh456	dghsgg	363.3	Revoked	
ACA23046	Korbec XT-100	Korbec Inc	200	Approved	
E-ACA22104				Draft	Select
E-ACA22107	Brand JKL Model MNO	Sample Manuf Name	400	Draft	Select

1 to 5 of 5

Items per Page: 5

< Prev 1 Next >

2.2.4 Click on Apply for Type Approval

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Home > Type Approval Applications

Type Approval Applications

Draft application will be discarded after 60 days

[Apply for Type Approval](#)

e-Submission/Type Approval No.	Brand and Model	Manufacture Name	Design Safe Working Pressure (kN/sqm)	Status	Action
E-ACA22123	xyz xyz	manuf manuf	400	Suspended	
E-ACA22118	hgb53 fgh456	dghsgg	363.3	Revoked	
ACA23046	Korbec XT-100	Korbec Inc	200	Approved	
E-ACA22104				Draft	Select
E-ACA22107	Brand JKL Model MNO	Sample Manuf Name	400	Draft	Select

1 to 5 of 5

< Prev 1 Next >

2.2.5 User will be redirected to Terms and Conditions, click Agree

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Home > Apply Type Approval > Applicant Details

Apply Type Approval

Use this form to submit a Type Approval application.

Terms and Conditions

I have read and understood the Terms and Conditions for Application for the Type of Approval. I agree to be bound by the said Terms and Conditions once my equipment is registered into Occupational Safety and Health Division.

Criteria for Type Approval for Autoclaves

I have verified that the autoclave meets the following criteria.

1. Is of table-top type
2. Uses electricity as the only form of power
3. Has a maximum steam volume of not more than 25 litres and a safe working pressure of not more than 4 bars
4. Water is fed manually at the start of the steam generation process and cannot be fed continuously from a potable water main

[Disagree](#) [Agree](#)

Report vulnerability | Privacy | Terms of use | Sitemap | Contact us | Supported browsers

© 2023 Government of Singapore.

2.2.6 User will be redirected to Application Details

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Home > Apply Type Approval > Applicant Details

Apply Type Approval

Use this form to submit a Type Approval application.

- 1 Application Details
- 2 Supporting Documents
- 3 Preview
- 4 Acknowledgement

e-Submission No:

Section A : Particulars of Applicant

* NRIC No.

* Name

* Designation

2.2.7 Fill in Particulars of Applicant

Use this form to submit a Type Approval application.

e-Submission No:

Section A : Particulars of Applicant

* NRIC No.

* Name

* Designation

Company Name

* Contact No.

* Email

Section B : Particulars of Company Submitting the Application

2.2.8 Fill in the Particulars of Company Submitting the Application

Use this form to submit a Type Approval application.

Section B : Particulars of Company Submitting the Application

UEN
180081828W

* Company Name
Company 180081828W Pte Ltd

Postal Code
123456

* Block/House No.
101

* Street Name
Ang Mo Kio Street 2

Floor No. Unit No.
11 001

Building Name

2.2.9 Fill in Particulars of Autoclave Manufacturer

Use this form to submit a Type Approval application.

Section C : Particulars of Autoclave Manufacturer

* Name of Manufacturer
Korbec

* Contact Address
Germany

* Country/ Region of Manufacturer
GERMANY

* Contact No.
12345678

Email Address
MOMtester@Korbec.sg

Section D : Particulars of Autoclave

* Brand

2.2.10 Fill in Particulars of Autoclave

Description in Details:

("Distinctive No." and "Brand" and "Model") must be unique against any existing Type Approval record.

Use this form to submit a Type Approval application.

Section D : Particulars of Autoclave

* Brand
Korbec

* Model
KT-932

* Design Pressure(kN/sqm)
200

* Volume (Litres)
20

* Country/ Region of Manufacture
SINGAPORE

* Year of Manufacture (YYYY)
2020

Is water fed manually at the start of the steam generation process and cannot be fed continuously from a portable water main?

2.2.11 Fill in Particulars of Autoclave (Continue)

Use this form to submit a Type Approval application.

Is water fed manually at the start of the steam generation process and cannot be fed continuously from a portable water main?
 Yes No

* Design Code (Main)
ASME BPVC

* Design Code (Sub)
Subcode 0202

* Distinctive No.
DN-9211

* Capacity (kW)
200

* Third Party Inspection Agency / Accredited Inspection Body
TPIA Test

Continue → Save As Draft Cancel

2.2.12 Click on Continue

Description in details:

Save as Draft - Save the application as a draft, which will be shown in the task inbox.

Cancel - Return to Dashboard.

Use this form to submit a Type Approval application.

Yes No

* Design Code (Main)
ASME BPVC

* Design Code (Sub)
Subcode 0202

* Distinctive No.
DN-9211

* Capacity (kW)
200

* Third Party Inspection Agency / Accredited Inspection Body
TPIA Test

[Continue →](#) [Save As Draft](#) [Cancel](#)

Report vulnerability [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.2.13 User will be redirected to Supporting Documents

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative [Log out](#)

Home > Apply Type Approval > Applicant Details

Apply Type Approval

Use this form to submit a Type Approval application.

Application Details **Supporting Documents** Preview Acknowledgement

e-Submission No:

Supporting Documents

S.No	Supporting Documents	Submitted	Not Applicable
1	* Fabrication survey report endorsed by an accredited Inspection Body (IB) or Third Party Inspection Agency (TPIA) for pressure vessels, stating that the autoclave has been designed in accordance with one of the acceptable design codes.	<input type="checkbox"/>	<input type="checkbox"/>
2	* Design calculations and construction drawings of the autoclave, verified by an accredited Inspection Body (IB) or Third Party Inspection Agency (TPIA) for pressure vessels, and endorsed by an authorised examiner who is familiar with the design code.	<input type="checkbox"/>	<input type="checkbox"/>
3	* Manufacturer's certificate, signed by the Chief Executive Officer or equivalent, certifying that the autoclave is designed to the requirements of the design code and the requirements of the Workplace Safety and Health Act.	<input type="checkbox"/>	<input type="checkbox"/>
4	* ISO 9001 (or equivalent) certification of the manufacturer.	<input type="checkbox"/>	<input type="checkbox"/>


2.2.14 Click on the highlighted area to upload Supporting Documents

ISO 9001 (or equivalent) certification of the manufacturer.

5 * Undertaking by an Authorised Examiner as per Annex A.

6 * Relevant documents to show that the autoclave is fitted with the relevant safety devices.

7 Other supporting documents.

 Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

[← Back](#) [Continue →](#) [Save As Draft](#)

2.2.15 Select the Document Type for all uploaded documents

Use this form to submit a Type Approval application.

Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

Document Name	Document Type	Action
Screenshot 2022-07-18 153429 - Copy (2).png	1. Fabrication survey report endorsed by an accredited Insj	Remove
Screenshot 2022-07-18 153429 - Copy (3).png	2. Design calculations and construction drawings of the au	Remove
Screenshot 2022-07-18 153429 - Copy (4) - Copy.png	3. Manufacturer's certificate, signed by the Chief Executive	Remove
Screenshot 2022-07-18 153429 - Copy (4).png	4. ISO 9001 (or equivalent) certification of the manufacture	Remove
Screenshot 2022-07-18 153429 - Copy (5) - Copy.png	5. Undertaking by an Authorised Examiner as per Annex A.	Remove
Screenshot 2022-07-18 153429 - Copy (5).png	6. Relevant documents to show that the autoclave is fitted	Remove

← Back Continue → Save As Draft X Cancel

Report vulnerability Privacy Terms of use Sitemap Contact us Supported browsers

2.2.16 Check 'Not Applicable' to auto-populate checks on documents not uploaded

Use this form to submit a Type Approval application.

e-Submission No: E-ACA23160

Supporting Documents

S.No	Supporting Documents	Submitted	Not Applicable
1	* Fabrication survey report endorsed by an accredited Inspection Body (IB) or Third Party Inspection Agency (TPIA) for pressure vessels, stating that the autoclave has been designed in accordance with one of the acceptable design codes.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2	* Design calculations and construction drawings of the autoclave, verified by an accredited Inspection Body (IB) or Third Party Inspection Agency (TPIA) for pressure vessels, and endorsed by an authorised examiner who is familiar with the design code.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3	* Manufacturer's certificate, signed by the Chief Executive Officer or equivalent, certifying that the autoclave is designed to the requirements of the design code and the requirements of the Workplace Safety and Health Act.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4	* ISO 9001 (or equivalent) certification of the manufacturer.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5	* Undertaking by an Authorised Examiner as per Annex A.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6	* Relevant documents to show that the autoclave is fitted with the relevant safety devices.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7	Other supporting documents.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

2.2.17 Click on Continue

Description in details:

Screenshot 2022-07-18 153429 - Copy (3).png	2. Design calculations and construction drawings of the aut	Remove
Screenshot 2022-07-18 153429 - Copy (4) - Copy.png	3. Manufacturer's certificate, signed by the Chief Executive	Remove
Screenshot 2022-07-18 153429 - Copy (4).png	4. ISO 9001 (or equivalent) certification of the manufacture	Remove
Screenshot 2022-07-18 153429 - Copy (5) - Copy.png	5. Undertaking by an Authorised Examiner as per Annex A.	Remove
Screenshot 2022-07-18 153429 - Copy (5).png	6. Relevant documents to show that the autoclave is fitted	Remove

[← Back](#) [Continue →](#) [Save As Draft](#) [Cancel](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

2.2.18 User will be redirected to Preview

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative [Log out](#)

Home > Apply Type Approval > Applicant Details

Apply Type Approval

Use this form to submit a Type Approval application.

Application Details Supporting Documents **Preview** Acknowledgement

e-Submission Reference No: E-ACA23160

Applicant Particulars [Edit](#)

NRIC :	S1234567D
Name :	MOM Tester
Designation :	Korbel Tester
Company Name :	Korbel
Contact No. :	12345678
Email :	Korbel@Korbel.com

2.2.19 Check on Declaration

Use this form to submit a Type Approval application.

153429 - Copy (3).png	Party Inspection Agency (PIA) for pressure vessels, and endorsed by an authorised examiner who is familiar with the design code.
Screenshot 2022-07-18 153429 - Copy (4) - Copy.png	3. Manufacturer's certificate, signed by the Chief Executive Officer or equivalent, certifying that the autoclave is designed to the requirements of the design code and the requirements of the Workplace Safety and Health Act.
Screenshot 2022-07-18 153429 - Copy (4).png	4. ISO 9001 (or equivalent) certification of the manufacturer.
Screenshot 2022-07-18 153429 - Copy (5) - Copy.png	5. Undertaking by an Authorised Examiner as per Annex A.
Screenshot 2022-07-18 153429 - Copy (5).png	6. Relevant documents to show that the autoclave is fitted with the relevant safety devices.

Declaration

I hereby certify that the information given in this submission is true and correct to the best of my knowledge and belief. I am aware that legal actions may be taken against me if I had knowingly provided any false information.

[← Back](#) [Submit →](#) [Save As Draft](#) [Cancel](#)

Report vulnerability [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#) © 2023 Government of Singapore.

2.2.20 Click on Submit

Description in details:

Screenshot 2022-07-18 153429 - Copy (5).png	6. Relevant documents to show that the autoclave is fitted with the relevant safety devices.
--	--

Declaration

I hereby certify that the information given in this submission is true and correct to the best of my knowledge and belief. I am aware that legal actions may be taken against me if I had knowingly provided any false information.

[← Back](#) [Submit →](#) [Save As Draft](#) [Cancel](#)

Report vulnerability [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

2.2.21 User will be redirected to the Acknowledgement

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Home > Apply Type Approval > Applicant Details

Apply Type Approval

Use this form to submit a Type Approval application.

Application Details Supporting Documents Preview Acknowledgement

Success
Your type approval application has been submitted. An acknowledgement email has also been sent to you. You may wish to note the e-Submission No. for reference.

e-Submission No: E-ACA23160


[Back to Home](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.3 Pressure Vessel eService - Submit Repair Pressure Vessel Application (Corppass)


2.3.1 Access Pressure Vessel eService Dashboard (Corppass), click on View Pressure Vessel



The screenshot shows the 'Pressure Vessel' dashboard on the Singapore Government Agency Website. The user is logged in as 'User 18008182BW' with the role of 'Company Representative'. The dashboard includes navigation tabs for 'Lifting Equipment' and 'Pressure Vessel'. There are four main action buttons: 'View Pressure Vessel', 'Apply Corporate Level Approval', 'Update Corporate Level Approval', and 'Type Approval'. Below these is a section for 'Corporate Level Approval (CLA)' with a note that draft records are discarded after 60 days of inactivity and an 'Apply for CLA' button. At the bottom, there is a table of 'Approved Corporate Level Approval (CLA)' with columns for CLA No., Scheme, Workplace No., Workplace Name, and Action.

CLA No.	Scheme	Workplace No.	Workplace Name	Action
CLA202212345A0010-2023-001	PVES 2012	202212345A0010	COMPANY 16 PTE. LTD.	Select

2.3.2 Search for the pressure vessel, click 'Repair Pressure Vessel'



The screenshot shows the 'View Pressure Vessel' search results page. The search selection is 'AR100484J'. The search results table has columns for PV Reg No., Workplace No., Workplace Name, Status, Last Examination Date, Next Examination, and Action. The 'Repair PV' option is highlighted in the action menu.

PV Reg No.	Workplace No.	Workplace Name	Status	Last Examination Date	Next Examination	Action
AR100484J	202212345A0010	COMPANY 16 PTE. LTD.	Due for Examination	05/05/2023	04/05/2025	Select, De-register, Repair PV

2.3.3 User will be redirected to Pressure Vessel Particulars

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Home > Repair Pressure Vessel > Pressure Vessel Repair Application

Repair Pressure Vessel

Use this form to submit a pressure vessel repair request.

- 1 Pressure Vessel Particulars
- 2 Particulars of Applicant
- 3 Repair Details
- 4 Supporting Documents
- 5 Preview
- 6 Acknowledgement

e-Submission No:

Workplace Details

Workplace No.:	202212345A0010
Workplace Name:	COMPANY 16 PTE. LTD.
Workplace Location:	218 Ang Mo Kio Street 38 Building 38 38 S(212358)

Particulars of Pressure Vessel to be Repaired

Pressure Vessel Reg No.:	AR100484J
Material Type:	Air Receiver

2.3.4 Review the Pressure Vessel details, click Continue

Description in details:

Save as Draft - Save the application as a draft, which will be shown in the task inbox.

Cancel - Return to Dashboard.

Next Examination Date :	05/05/2023
Last Pressure Test Date :	01/05/2023
Last Thickness Test Date :	01/05/2023
Status :	Due for Examination

Repair History

Repair Date	AE Name	Nature of Damage	Location of Damage
-------------	---------	------------------	--------------------

Continue → **Save As Draft** **Cancel**

2.3.5 User will be redirected to the Particulars of Applicant

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative

Home > Repair Pressure Vessel > Pressure Vessel Repair Application

Repair Pressure Vessel

Use this form to submit a pressure vessel repair request.

Progress: 1. Pressure Vessel Particulars (Completed), 2. Particulars of Applicant (Current), 3. Repair Details, 4. Supporting Documents, 5. Preview, 6. Acknowledgement

e-Submission No:

Particulars of Applicant

* Name

* Contact No.

* Designation

* Email

2.3.6 Fill in mandatory details

Use this form to submit a pressure vessel repair request.

Progress: 1. Pressure Vessel Particulars (Completed), 2. Particulars of Applicant (Current), 3. Repair Details, 4. Supporting Documents, 5. Preview, 6. Acknowledgement

e-Submission No:

Particulars of Applicant

* Name

* Contact No.

* Designation

* Email

← Back Continue → Save As Draft Cancel

Report vulnerability | Privacy | Terms of use | Sitemap | Contact us | Supported browsers

2.3.7 Click on Continue

Description in details:

Back - Return to Previous Page.

Save as Draft - Save the application as a draft, which will be shown in the task inbox.

Cancel - Return to Dashboard.

Use this form to submit a pressure vessel repair request.

Progress: 1. Pressure Vessel Particulars (Completed), 2. Particulars of Applicant (Active), 3. Repair Details, 4. Supporting Documents, 5. Preview, 6. Acknowledgement

e-Submission No:

Particulars of Applicant

* Name

* Contact No.

* Designation

* Email

Buttons: Back, Continue (highlighted), Save As Draft, Cancel

Footer: Report Vulnerability, Privacy, Terms of Use, Sitemap, Contact Us, Supported browsers

2.3.8 User will be redirected to Repair Details

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 18008182294
Role: Company Representative Log out

Home > Repair Pressure Vessel > Pressure Vessel Repair Application

Repair Pressure Vessel

Use this form to submit a pressure vessel repair request.

Progress: 1. Pressure Vessel Particulars (Completed), 2. Particulars of Applicant (Completed), 3. Repair Details (Active), 4. Supporting Documents, 5. Preview, 6. Acknowledgement

e-Submission No:

Damage Details

* Damage Reported Date

* Supervising Authorised Examiner

* Add PV(s) into repair application.

PV Registration No. Actions

2.3.9 Fill in Damage Details

Use this form to submit a pressure vessel repair request.

Submission No:

Damage Details

* Damage Reported Date
01/05/2023

* Supervising Authorised Examiner
AE 01

* Add PV(s) into repair application.

PV Registration No.	Actions
AR100484j	X
BE0100217L	X Remove

+ Add

* Location of Damage

- Top head / Front dish
- Bottom head / End dish
- Shell
- No. of damaged boiler tube(s)
- No. of damaged water tube(s)
- No. of damaged fire tube(s)
- Tube sheet
- Furnace / Firebox

2.3.10 User can add more Pressure Vessels to the Repair Application

Description in details:

- All Pressure Vessels in a repair application must belong to the same workplace number.
 - The first Pressure Vessel selected for repair application will be used as the reference for workplace number.
- Exception for Pressure Vessels without workplace number can be added into any repair applications.

Use this form to submit a pressure vessel repair request.

Submission No:

Damage Details

* Damage Reported Date
01/05/2023

* Supervising Authorised Examiner
AE 01

* Add PV(s) into repair application.

PV Registration No.	Actions
AR100484j	X
BE0100217L	X Remove

Search

- BE0100217L
- BR0100215C
- BS0100216j
- AR0100213A
- BS0100216j
- AR0100387A
- BR0100409j

* No. of damaged fire tube(s)

Tube sheet

Furnace / Firebox

2.3.11 Fill in the Location of Damage & Nature of Damage

Use this form to submit a pressure vessel repair request.

+ Add

* Location of Damage

- Top head / Front dish
- Bottom head / End dish
- Shell
- No. of damaged boiler tube(s)
5
- No. of damaged water tube(s)
- No. of damaged fire tube(s)
- Tube sheet
- Furnace / Firebox
- Chimney
- Gas train
- Others

* Nature of Damage

- Crack / Fracture
- Collapse of structure
- Rupture
Rupture
- Localised deformation
- Blockage
- Bulging
- Corrosion / Pitting
- Discolouration

2.3.12 Fill in Probable Cause & Proposed Repairs

Use this form to submit a pressure vessel repair request.

- Bulging
- Corrosion / Pitting
- Discolouration
- Others

* Probable Cause

Cause

(995 characters left)

Proposed Repairs

* Is welding involved in this repair?

Yes No

* Repair Details

- Replacement-in-kind
- Weld repair
Weld repair
- Weld overlay
- Plugging of tube(s)
- Others

* Proposed Post-repair Tests

- Hydrostatic Test
- Pneumatic Test
- Hydropneumatic Test

2.3.13 Fill in Proposed Post-repair Tests

Use this form to submit a pressure vessel repair request.

- Weld overlay
- Plugging of tube(s)
- Others

* Proposed Post-repair Tests

- Hydrostatic Test
Test required
- Pneumatic Test
Test required
- Hydropneumatic Test
- Thickness Test
- Running Test
Test required
- Visual Examination
- Radiographic Examination
- Ultrasonic Examination
- Liquid Penetrant Examination
- Magnetic Particle Examination
- Eddy Current Examination
- Leak Test (other than Hydrostatic and Pneumatic Tests)
- Acoustic Emission Examination (for fiber-reinforced plastic vessels)
- Others

← Back **Continue** → Save As Draft Cancel

2.3.14 Click on Continue

- Radiographic Examination
- Ultrasonic Examination
- Liquid Penetrant Examination
- Magnetic Particle Examination
- Eddy Current Examination
- Leak Test (other than Hydrostatic and Pneumatic Tests)
- Acoustic Emission Examination (for fiber-reinforced plastic vessels)
- Others

← BackContinue →Save As DraftCancel

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.3.15 User will be redirected to Supporting Documents

A Singapore Government Agency WebsiteRepresentative User: User 150081625W
Role: Company RepresentativeLog out

Home > Repair Pressure Vessel > Pressure Vessel Repair Application

Repair Pressure Vessel

Use this form to submit a pressure vessel repair request.

Pressure Vessel Particulars — Particulars of Applicant — Repair Details — Supporting Documents — Preview — Acknowledgement

e-Submission No:

Upload Supporting Documents

S.No	Supporting Documents	Submitted	Not Applicable
1	* Repair procedure - reviewed and endorsed by authorised examiner.	<input type="checkbox"/>	<input type="checkbox"/>
2	* General arrangement/construction drawing(s) of pressure vessel indicating material specifications and location(s) to undergo repair - reviewed and endorsed by authorised examiner.	<input type="checkbox"/>	<input type="checkbox"/>
3	* Photographs of pressure vessel showing damage(s) to be repaired.	<input type="checkbox"/>	<input type="checkbox"/>
4	Identification and verification of new materials.	<input type="checkbox"/>	<input type="checkbox"/>
5	(If welding work is involved) Welding procedure specification - reviewed and endorsed by authorised examiner.	<input type="checkbox"/>	<input type="checkbox"/>
6	(If welding work is involved) Procedure qualification record - reviewed and endorsed by authorised	<input type="checkbox"/>	<input type="checkbox"/>

2.3.16 Click on the highlighted area to upload Supporting Documents

Use this form to submit a pressure vessel repair request.

9	Qualifications of personnel conducting non-destructive examination (NDE).	<input type="checkbox"/>	<input type="checkbox"/>
10	(Where number of tubes plugged after repair exceeds 2% of the total number of tubes in the vessel) Heat transfer performance calculations or equivalent.	<input type="checkbox"/>	<input type="checkbox"/>
11	Investigation report into root cause of damage and changes implemented to prevent a recurrence.	<input type="checkbox"/>	<input type="checkbox"/>
12	Other supporting documents.	<input type="checkbox"/>	<input type="checkbox"/>

Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

Remarks
Remarks(if any)
Please Specify

(1000 characters left)

Report vulnerability [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

2.3.17 Select Document Type for uploaded Supporting Documents

Use this form to submit a pressure vessel repair request.

12 Other supporting documents.

Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

Document Name	Document Type	Action
Screenshot 2022-07-18 153429 - Copy (4) - Copy.png	1. Repair procedure - reviewed and endorsed by authorise	<input type="button" value="Remove"/>
Screenshot 2022-07-18 153429 - Copy (2).png	2. General arrangement/construction drawing(s) of pressu	<input type="button" value="Remove"/>
Screenshot 2022-07-18 153429 - Copy (3).png	3. Photographs of pressure vessel showing damage(s) to b	<input type="button" value="Remove"/>

Remarks
Remarks(if any)
Please Specify

(1000 characters left)

2.3.18 Click on Continue

Use this form to submit a pressure vessel repair request.

12 Other supporting documents.


Drag and drop or browse files.
(jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB).

Document Name	Document Type	Action
Screenshot 2022-07-18 153429 - Copy (4) - Copy.png	1. Repair procedure - reviewed and endorsed by authorise	Remove
Screenshot 2022-07-18 153429 - Copy (2).png	2. General arrangement/construction drawing(s) of pressu	Remove
Screenshot 2022-07-18 153429 - Copy (3).png	3. Photographs of pressure vessel showing damage(s) to b	Remove

Remarks
 Remarks (if any)
 Please Specify
(1000 characters left)

2.3.19 User will be redirected to Preview

A Singapore Government Agency Website


 Representative User: User 180081828W
 Role: Company Representative

Home > Repair Pressure Vessel > Pressure Vessel Repair Application

Repair Pressure Vessel

Use this form to submit a pressure vessel repair request.

Pressure Vessel Particulars
 Particulars of Applicant
 Repair Details
 Supporting Documents
 Preview
 Acknowledgement

e-Submission No:

Workplace Details

Workplace No.: 202212345A0010
 Workplace Name: COMPANY 16 PTE. LTD.
 Workplace Location: 218 Ang Mo Kio Street 38 Building 38 38 S(212358)

Particulars of Pressure Vessel to be Repaired

Pressure Vessel Reg No.: AR100484J
 Vessel Class: Air Receiver
 Brand and Model: Brand 99U2E
 Distinctive Nn: DN 12HR2

2.3.20 Check Declaration

Use this form to submit a pressure vessel repair request.

Document Name	Document Type
Screenshot 2022-07-18 153429 - Copy (4) - Copy.png	1. Repair procedure - reviewed and endorsed by authorised examiner.
Screenshot 2022-07-18 153429 - Copy (2).png	2. General arrangements/construction drawing(s) of pressure vessel indicating material specifications and location(s) to undergo repair - reviewed and endorsed by authorised examiner.
Screenshot 2022-07-18 153429 - Copy (3).png	3. Photographs of pressure vessel showing damage(s) to be repaired.

Remarks

Remarks (if any):

Declaration

I hereby certify that the information given in this submission is true and correct to the best of my knowledge and belief. I am aware that legal actions may be taken against me if I had knowingly provided any false information.

[← Back](#) [Submit →](#) [Save As Draft](#) [Cancel](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.3.21 Click on Submit

Remarks (if any):

Declaration

I hereby certify that the information given in this submission is true and correct to the best of my knowledge and belief. I am aware that legal actions may be taken against me if I had knowingly provided any false information.

[← Back](#) [Submit →](#) [Save As Draft](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

2.3.22 User will be redirected to the Acknowledgement

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180081828W
Role: Company Representative [Log out](#)

Home > Repair Pressure Vessel > Pressure Vessel Repair Application

Repair Pressure Vessel

Use this form to submit a pressure vessel repair request.

Progress: Pressure Vessel Particulars (✓) | Particulars of Applicant (✓) | Repair Details (✓) | Supporting Documents (✓) | Preview (✓) | Acknowledgement (3)

Success

Your pressure vessel repair request has been submitted. An acknowledgement email has been sent to you. You may wish to note the Repair Application e-Submission No. for reference.

Repair Application e-Submission No.: PVR23000292

[Back to Home](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.4 Pressure Vessel eService - De-register

2.4.1 Access Corppass Dashboard, click on View Pressure Vessel

A Singapore Government Agency Website
Representative User: User CP1234
Role: Company Representative
Log out

Pressure Vessel

Access Pressure Vessel services.

Lifting Equipment **Pressure Vessel**

View Pressure Vessel Apply Corporate Level Approval Update Corporate Level Approval Type Approval

Corporate Level Approval (CLA)
Draft record will be discarded after 60 days of inactivity

Apply for CLA

eSubmission No.	Application Date	Scheme	Workplace No.	Workplace Name	Status	Action
E20230320128		PVES 2021			Draft	Select
E20230113109		PVES 2021			Draft	Select
E20230320129		PVES 2021			Draft	Select

2.4.2 Select De-register under the action dropdown for single Pressure Vessel de-registration

Access Pressure Vessel services.

Select

Reset Search

De-register →


PV Reg No.	Workplace No.	Workplace Name	Status	Last Examination Date	Next Examination	Action
AR0100415B	202212345A0001	COMPANY 07 PTE. LTD.	Due for Examination			Select
BE0100418K			Due for Examination			Select De-register Repair PV
BS0100417E			Due for Examination			Select
BR0100413L			Due for Examination			Select
BR0100383B			Due for Examination			Select

6 to 10 of 44


Items per Page: 5

Prev 1 2 3 9 Next


2.4.3 Alternatively, select more records for multiple vessels' de-registration



2.4.4 Click on De-register



2.4.5 User will be redirected to De-register Pressure Vessel



2.4.6 Select the reason for de-registration under the dropdown list

Dashboard > De-register Pressure Vessel

De-register Pressure Vessel

De-register Pressure Vessel

View Pressure Vessel

PV Reg No.	UEN/NRIC	Workplace No.	Vessel Class	Brand and Model	Distinctive No.	De-registration Date
SR100452C	180024880G	202212345A0013	Steam Receiver	Lindenger	0703521029	

* Reason for de-registration

Select

No longer in use

Change in ownership

Others

Cancel X

2.4.7 Click on the button to de-register

Dashboard > De-register Pressure Vessel

De-register Pressure Vessel

De-register Pressure Vessel

View Pressure Vessel

PV Reg No.	UEN/NRIC	Workplace No.	Vessel Class	Brand and Model	Distinctive No.	De-registration Date
SR100452C	180024880G	202212345A0013	Steam Receiver	Lindenger	0703521029	

* Reason for de-registration

Change in ownership


→ Submit De-registration request

Cancel X


2.4.8 Click on Confirm to confirm the de-registration

Description in details:

All de-registration of the vessel will result in removal from the Pressure Vessel family group or Plant ID, if any.



2.4.9 User will be redirected to the Acknowledgement



2.4.10 Click on De-registration Letter to download the PDF copy

The screenshot shows a web interface for the Ministry of Manpower. At the top, it says "A Singapore Government Agency Website" and "Representative User: User CP1234 Role: Company Representative" with a "Log out" link. The main heading is "De-register Pressure Vessel" with a breadcrumb "Home > De-register Pressure Vessel". A green success message states: "Success Your de-registration request is successful. You may obtain a copy of the de-registration letter below." Below this is a table with a download icon and the text "De-registration Letter" above it. The table lists two vessels with their registration details and de-registration dates. A "Back to Dashboard" button is at the bottom of the table area. The footer contains links for "Report vulnerability", "Privacy", "Terms of use", "Sitemap", "Contact us", and "Supported browsers".

Success

Your de-registration request is successful. You may obtain a copy of the de-registration letter below.

De-registration Letter

PV Reg No.	UEN/NRIC	Workplace No.	Vessel Class	Brand and Model	Distinctive No.	De-registration Date
BS0100417E	UEN1234		Superheater	qwerqwer	dfhefvqevq	28/03/2023
BE0100418K	UEN1234		Economisers	d12d12	d21d1	28/03/2023

→ Back to Dashboard

Report vulnerability Privacy Terms of use Sitemap Contact us Supported browsers

2.4.11 De-registration letter



Your pressure vessel has been de-registered

Dear Sir/Madam,

The pressure vessel(s) listed in Annex A has/have been de-registered with immediate effect.

We would like to remind you that it is an offence under the Workplace Safety and Health (General Provisions) Regulations to use an unregistered pressure vessel.

Yours faithfully,

OCCUPATIONAL SAFETY AND HEALTH DIVISION
for COMMISSIONER FOR WORKPLACE SAFETY AND HEALTH

PRESSURE VESSEL OWNER UEN

PRESSURE VESSEL OWNER NAME

WORKPLACE NUMBER

WORKPLACE NAME

What you need to do

Stop the use of the pressure vessel(s) immediately.

Engage an authorised examiner to re-register the pressure vessel(s), if you intend to use the pressure vessel(s) in future.


You may wish to know

You may contact us at [redacted] should you require further clarification.


SAMPLE

2.5 Pressure Vessel eService - Apply Corporate Level Approval Application

2.5.1 Access eService Dashboard [Corppass]



2.5.2 Click on Apply for Corporate Level Approval



2.5.3 User will be redirected to Applicant Particulars

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180058593H
Role: Company Representative

Home > Apply Corporate Level Approval > Applicant Details

Apply Corporate Level Approval

Apply Corporate Level Approval.

- 1 Applicant Particulars
- 2 CP Selection
- 3 Supporting Documents
- 4 Preview
- 5 Acknowledgement

e-Submission No:

Applicant Particulars

* NRIC
180058593H

* Name
[Empty]

* Contact No.
[Empty]

* Designation
[Empty]

* Email
[Empty]

2.5.4 Fill in Applicant Particulars

Description in details:

Fill in mandatory fields indicated with asterisks*

Apply Corporate Level Approval.

- 1 Applicant Particulars
- 2 CP Selection
- 3 Supporting Documents
- 4 Preview
- 5 Acknowledgement

e-Submission No:

Applicant Particulars

* NRIC
180058593H

* Name
Tester

* Contact No.
90909090

* Designation
Tester

* Email
Tester@TestMOM.gov.sg

Continue → Save As Draft Cancel

2.5.5 Click on Continue

Description in details:

Save as Draft - Save the application as a draft, which will be shown in the task inbox.

Cancel - Return to Dashboard.

The screenshot shows the 'Apply Corporate Level Approval' process at the 'Applicant Particulars' step (Step 1 of 5). The progress bar indicates the current step is 'Applicant Particulars', followed by 'CP Selection', 'Supporting Documents', 'Preview', and 'Acknowledgement'. The form contains the following fields:

- e-Submission No:
- Applicant Particulars**
- * NRIC: 180058593H
- * Name: Tester
- * Contact No.: 90909090
- * Designation: Tester
- * Email: Tester@TestMOM.gov.sg

At the bottom of the form, there are three buttons: 'Continue' (highlighted in red), 'Save As Draft', and 'Cancel'.

2.5.6 User will be redirected to CP Selection

The screenshot shows the 'Apply Corporate Level Approval' process at the 'CP Selection' step (Step 2 of 5). The progress bar indicates the current step is 'CP Selection', with 'Applicant Particulars' completed. The form contains the following fields:

- e-Submission No:
- Extension Details**
- * Workplace No. (dropdown menu)
- * UEN: 180058593H
- * Extension Scheme: PVES 2021 (dropdown menu)
- Workplace Name:
- Workplace Location: # - SINGAPORE

At the bottom of the form, there is a blue button labeled 'Add Plant ID into Extension Scheme'.

2.5.7 Fill in Extension Details

Description in details:

Fill in mandatory fields indicated with asterisks*

Apply Corporate Level Approval.

Progress: 1 Applicant Particulars (Completed), 2 CP Selection (Current), 3 Supporting Documents, 4 Preview, 5 Acknowledgement

e-Submission No:

Extension Details

* Workplace No.

* UEN

* Extension Scheme

Workplace Name: COMPANY 26 PTE. LTD.

Workplace Location: 228 Ang Mo Kio Street 48 # 48-228
Building 48 SINGAPORE 212368

▼ Add Plant ID into Extension Scheme

* Plant ID

* Select Competent Person

2.5.8 Fill in Add Plant ID into Extension Scheme

Description in details:

Fill in mandatory fields indicated with asterisks*

Workplace number must have a valid Plant ID for selection in the dropdown.

Apply Corporate Level Approval.

Workplace Location: 228 Ang Mo Kio Street 48 # 48-228
Building 48 SINGAPORE 212368

▼ Add Plant ID into Extension Scheme

* Plant ID
202212345A0020001

* Select Competent Person
AE 02

* Validity Period From (MM/YYYY)
04/2023

* Validity Period To (MM/YYYY)
04/2026

* Extension Period (Months)
37

Remarks
Test

+ Add

2.5.9 Click on Add

* Validity Period To (MM/YYYY)
04/2026

* Extension Period (Months)
37

Remarks
Test

+ Add

Plant ID	Assigned Competent	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension
----------	--------------------	--------------------------------	------------------------------	-----------

2.5.10 Entry will be added to the below table

Description in details:

- Users can add more than one Plant IDs to the Corporate-Level Approval Application.

The screenshot shows the 'Apply Corporate Level Approval' form. It includes input fields for 'Validity Period To (MM/YYYY)', 'Extension Period (Months)', and 'Remarks'. Below these fields is an '+ Add' button. A table below the form contains one entry, which is highlighted with a red border. The table has columns for Plant ID, Assigned Competent Person, Validity Period From (MM/YYYY), Validity Period To (MM/YYYY), Extension Period (Months), Remarks, and Action. The entry has Plant ID 202212345A0020001, Assigned Competent Person AE 02, Validity Period From 04/2023, Validity Period To 04/2026, Extension Period 37, and Remarks Test. The Action column contains 'Edit' and 'Remove' icons. At the bottom of the form are buttons for 'Back', 'Continue', 'Save As Draft', and 'Cancel'. The footer contains links for 'Report vulnerability', 'Privacy', 'Terms of use', 'Sitemap', 'Contact us', and 'Supported browsers', along with the copyright notice '© 2023 Government of Singapore'.

Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Remarks	Action
202212345A0020001	AE 02	04/2023	04/2026	37	Test	Edit Remove

2.5.11 Click on Edit to edit the entry

This screenshot is identical to the previous one, showing the 'Apply Corporate Level Approval' form with the table entry highlighted. In this version, the 'Edit' icon in the Action column of the table is highlighted with a red circle, indicating the user's next step.

2.5.12 Click on Save to confirm the changes

Description in details:

Remove - Remove the entry from the application.

MM/YYYY

* Validity Period To (MM/YYYY)

MM/YYYY

* Extension Period (Months)

Remarks

+ Add

YYYY	Validity Period To (MM/YYYY)	Extension Period (Months)	Remarks	Action
	04/2026	37	Test	Save Remove

← Back Continue → Save As Draft Cancel

2.5.13 Click on Continue

Description in details:

Back - Return to Applicant Particulars

Save as Draft - Save the application as a draft, which will be shown in the task inbox.

Cancel - Return to Dashboard

Apply Corporate Level Approval.

* Validity Period To (MM/YYYY)
MM/YYYY

* Extension Period (Months)
37

Remarks
Test

+ Add

Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Remarks	Action
202212345A0020001	AE 02	04/2023	04/2026	37	Test	Edit Remove

← Back **Continue →** Save As Draft Cancel

Report vulnerability Privacy Terms of use Sitemap Contact us Supported browsers

© 2023 Government of Singapore.

2.5.14 User will be redirected to Supporting Documents

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180058593H
Role: Company Representative Log out

Home > Apply Corporate Level Approval > Applicant Details

Apply Corporate Level Approval

Apply Corporate Level Approval.

Applicant Particulars CP Selection **Supporting Documents** Preview Acknowledgement

Supporting Documents


S.No	Supporting Documents	Submitted	Not Applicable
1	* Completed Corporate-Level Approval application form.	<input type="checkbox"/>	<input type="checkbox"/>
2	* Appointment of Competent Person(s).	<input type="checkbox"/>	<input type="checkbox"/>
3	* Appointment of auditing organisation(s) accredited by Singapore Accreditation Council (SAC).	<input type="checkbox"/>	<input type="checkbox"/>
4	* Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.	<input type="checkbox"/>	<input type="checkbox"/>
5	* Pressure Vessel Management System (PVMS).	<input type="checkbox"/>	<input type="checkbox"/>
6	* Scheme to Guarantee the Safe Use (SGSU).	<input type="checkbox"/>	<input type="checkbox"/>

2.5.15 Click on the highlighted area to upload supporting documents

Description in details:

Upload all mandatory documents indicated with asterisks*

7	(For PVES 2021 applications) Risk-based Inspection (RBI) methodology and procedures.
8	Other supporting documents.



Drag and drop or browse files.
Jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

← BackContinue →📄 Save As Draft

2.5.16 Select the Document Type for all uploaded documents

Apply Corporate Level Approval.

7 (For PVES 2021 applications) Risk-based Inspection (RBI) methodology and procedures.

8 Other supporting documents.

Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

Document Name	Document Type	Action
Screenshot 2023-05-23 205917 - 1 - Copy - Copy (2).png	1. Completed Corporate-Level Approval application form. ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy (3).png	2. Appointment of Competent Person(s). ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy (2) - Copy.png	3. Appointment of auditing organisation(s) accredited by Si ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy (2).png	4. Certification of in-house Inspection or Maintenance Dep. ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy (3) - Copy.png	5. Pressure Vessel Management System (PVMS). ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy - Copy.png	6. Scheme to Guarantee the Safe Use (SGSU). ▾	Remove

← Back **Continue** → Save As Draft Cancel

2.5.17 Check 'Not Applicable' to auto-populate checks on documents not uploaded

Apply Corporate Level Approval.

Applicant Particulars CP Selection **Supporting Documents** Preview Acknowledgement

Supporting Documents

S.No	Supporting Documents	Submitted	Not Applicable
1	* Completed Corporate-Level Approval application form.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2	* Appointment of Competent Person(s).	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3	* Appointment of auditing organisation(s) accredited by Singapore Accreditation Council (SAC).	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4	* Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5	* Pressure Vessel Management System (PVMS).	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6	* Scheme to Guarantee the Safe Use (SGSU).	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7	(For PVES 2021 applications) Risk-based Inspection (RBI) methodology and procedures.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8	Other supporting documents.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

2.5.18 Click on Continue

Apply Corporate Level Approval.

Drag and drop or browse files.
Jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

Document Name	Document Type	Action
Screenshot 2023-05-23 205917 - 1 - Copy - Copy (2).png	1. Completed Corporate-Level Approval application form. ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy (3).png	2. Appointment of Competent Person(s). ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy (2) - Copy.png	3. Appointment of auditing organisation(s) accredited by Si ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy (2).png	4. Certification of in-house Inspection or Maintenance Dep. ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy (3) - Copy.png	5. Pressure Vessel Management System (PVMS). ▾	Remove
Screenshot 2023-05-23 205917 - 1 - Copy - Copy.png	6. Scheme to Guarantee the Safe Use (SGSU). ▾	Remove

[← Back](#) [Continue →](#) [Save As Draft](#) [Cancel](#)

2.5.19 User will be redirected to Preview

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180058593H
Role: Company Representative [Log out](#)

Home > Apply Corporate Level Approval > Applicant Details

Apply Corporate Level Approval

Apply Corporate Level Approval.

Progress: 1 Applicant Particulars (✓) 2 CP Selection (✓) 3 Supporting Documents (✓) 4 **Preview** (4) 5 Acknowledgement (5)

Applicant Particulars [Edit](#)

NRIC : 180058593H

Name : Tester

Mobile No : 90909090

Designation: Tester

Email: Tester@TestMOM.gov.sg

Extension Details [Edit](#)

Workplace No. : 202212345A0020

2.5.20 Check Declaration

Apply Corporate Level Approval.

Screenshot 2023-05-23 205917 - 1 - Copy (3).png	2. Appointment of Competent Person(s).
Screenshot 2023-05-23 205917 - 1 - Copy (2) - Copy.png	3. Appointment of auditing organisation(s) accredited by Singapore Accreditation Council (SAC).
Screenshot 2023-05-23 205917 - 1 - Copy (2).png	4. Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.
Screenshot 2023-05-23 205917 - 1 - Copy (3) - Copy.png	5. Pressure Vessel Management System (PVMS).
Screenshot 2023-05-23 205917 - 1 - Copy - Copy.png	6. Scheme to Guarantee the Safe Use (SGSU).

Declaration

I hereby certify that the information given in this application is complete and to the best of my knowledge, and I am aware that an incomplete or inaccurate submission could the application to be rejected.

[← Back](#) [Continue to Payment →](#) [X Cancel](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.5.21 Click on Continue to Payment

Apply Corporate Level Approval.

Screenshot 2023-05-23 205917 - 1 - Copy (3).png	2. Appointment of Competent Person(s).
Screenshot 2023-05-23 205917 - 1 - Copy (2) - Copy.png	3. Appointment of auditing organisation(s) accredited by Singapore Accreditation Council (SAC).
Screenshot 2023-05-23 205917 - 1 - Copy (2).png	4. Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.
Screenshot 2023-05-23 205917 - 1 - Copy (3) - Copy.png	5. Pressure Vessel Management System (PVMS).
Screenshot 2023-05-23 205917 - 1 - Copy - Copy.png	6. Scheme to Guarantee the Safe Use (SGSU).

Declaration

I hereby certify that the information given in this application is complete and to the best of my knowledge, and I am aware that an incomplete or inaccurate submission could the application to be rejected.

[← Back](#) [Continue to Payment →](#) [X Cancel](#)

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.5.22 User will be redirected to the Payment Summary

Home > Apply Corporate Level Approval > Applicant Details

Apply Corporate Level Approval

Apply Corporate Level Approval.

Applicant Particulars CP Selection Supporting Documents Preview Acknowledgement


Payment Summary

Service Name: Integrated Occupational Safety and Health System

Agency Reference: IOS2202305230000008

S.No	Bill No.	Bill Type	Amount (SGD)
1	MOMOSA20230000025	Licensing	115
Total			115

Payment Method



Available for internet banking users of DBS Bank/POSB, OCBC Bank, CitiBank and Standard Chartered.

2.5.23 Click on Continue to perform payment

Description in details:


Back to Dashboard - Return to eService Dashboard

Apply Corporate Level Approval.

Agency Reference: IOS2202305230000008

S.No	Bill No.	Bill Type	Amount (SGD)
1	MOMOSA20230000025	Licensing	115
Total			115

Payment Method



Available for internet banking users of DBS Bank/POSB, OCBC Bank, CitiBank and Standard Chartered.

Internet banking UserID, PIN and token are required to effect the payment.

Please note:
If you are using a pop-up blocker or proxy server, please temporarily disable it.
Otherwise, the relevant transaction pages may not be displayed, or your transaction request may not be completed.

[Back to Dashboard](#) [Continue](#)

2.5.24 User will be redirected to Acknowledgement after successful payment

Description in details:

Back to Dashboard - Return to eService Dashboard

Apply Corporate Level Approval.

Applicant Particulars CP Selection Supporting Documents Preview **Acknowledgement**

Success
The CLA Application has been submitted. An email notification has been sent to the processing officer. An acknowledgement email has also been sent to you, please take note of the e-Submission No.

Payment Receipt


Transaction Date and Time : 23/05/2023 at 21:08
e-Submission No. : E20230523139
Receipt No. :

S.No	Bill No.	Bill Type	Amount (SGD)
1	MOMOSA20230000025	Licensing	350.00
Payment method: e-payment Total			350.00

[Back to Dashboard](#)

2.6 Pressure Vessel eService - Update Corporate-Level Approval Application

2.6.1 Access eService Dashboard [Corppass]



A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180058593H
Role: Company Representative Log out

Pressure Vessel

Access Pressure Vessel services.

Lifting Equipment **Pressure Vessel**

[View Pressure Vessel](#) [Apply Corporate Level Approval](#) [Update Corporate Level Approval](#) [Type Approval](#)


Corporate Level Approval (CLA)
Draft record will be discarded after 60 days of inactivity

[Apply for CLA](#)

Approved Corporate Level Approval (CLA)

<input type="checkbox"/>	CLA No.	Scheme	Workplace No.	Workplace Name	Action
<input type="checkbox"/>	CLA202212345A0020-2023-001	PVES 2021	202212345A0020	COMPANY 26 PTE. LTD.	Select

2.6.2 Under Approved Corporate Level Approval (CLA), click Update



Access Pressure Vessel services.

Corporate Level Approval (CLA)
Draft record will be discarded after 60 days of inactivity

[Apply for CLA](#)

Approved Corporate Level Approval (CLA)

<input type="checkbox"/>	CLA No.	Scheme	Workplace No.	Workplace Name	Action
<input type="checkbox"/>	CLA202212345A0020-2023-001	PVES 2021	202212345A0020	COMPANY 26 PTE. LTD.	Select

1 to 1 of 1
Items per Page: 5

View Pressure Vessel

Search Selection *
Select PV Reg No., Workplace No., AE Name

Filters

Pressure Vessel Status: Select
Pressure Vessel Class: Select
Date Selection

Update

2.6.3 User will be redirected to Update Corporate Level Approval

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180058593H
Role: Company Representative

Home > Apply Corporate Level Approval

Update Corporate Level Approval

Assign Competent Person and Update Extension Validity Period.

Corporate Level Approval Details

CLA No. :

Scheme :

Company Particulars

UEN :

Workplace No. :

Workplace Name :

Contact Person

[Edit](#)

2.6.4 Click on Edit to make changes to Contact Person

Assign Competent Person and Update Extension Validity Period.

Company Particulars

UEN :

Workplace No. :

Workplace Name :

Contact Person

[Edit](#)

NRIC No. :

Name :

Contact No. :

Designation :

Email :

Extension Details

Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Status

2.6.5 Review & Edit Contact Person

Assign Competent Person and Update Extension Validity Period.

UEN :	180058593H
Worplace No. :	202212345A0020
Worplace Name :	COMPANY 26 PTE. LTD.

Contact Person


* NRIC

* Name

* Contact No.

* Designation

* Email

 Save

2.6.6 Click on Save to confirm the changes

Assign Competent Person and Update Extension Validity Period.

UEN :	180058593H
Worplace No. :	202212345A0020
Worplace Name :	COMPANY 26 PTE. LTD.

Contact Person


* NRIC

* Name

* Contact No.

* Designation

* Email

 Save

Extension Details

2.6.6.1 Extension Details tables

Description in details:

- Extension Details - Only Plant ID with approved Corporate-Level Approval extension will be shown in this table.
- Extension Details (Pending CP) - Only Plant IDs pending for Competent Person to apply Corporate-Level Approval extension will be shown in this table.

Assign Competent Person and Update Extension Validity Period.

Designation : Tester
Email : Tester@Test.MOM.gov.sg

Extension Details

Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Status
----------	---------------------------	--------------------------------	------------------------------	---------------------------	--------

Extension Details (Pending CP)

Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Remarks	Action
202212345A0020001	AE 02	04/2023	04/2026	37	Test	Edit Remove

▼ Add Plant ID into Extension Scheme

* Plant ID

2.6.7 Click on Edit to make changes to Plant ID entries

Description in details:

Remove - Remove the entry from the Corporate Level Approval Application

Assign Competent Person and Update Extension Validity Period.

Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Status	
Extension Details (Pending CP)						
Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Remarks	Action
202212345A0020001	AE 02	04/2023	04/2026	37	Test	Edit Remove

▼ Add Plant ID into Extension Scheme

* Plant ID

* Select Competent Person

* Validity Period From (MM/YYYY)

* Validity Period To (MM/YYYY)

2.6.8 Click on Save to confirm the changes

Assign Competent Person and Update Extension Validity Period.

Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Status	
Extension Details (Pending CP)						
Plant ID	Assigned Competent Person	Validity Period From (MM/YYYY)	Validity Period To (MM/YYYY)	Extension Period (Months)	Remarks	Action
			04/2026	37	Test	Save Remove

▼ Add Plant ID into Extension Scheme

* Plant ID

* Select Competent Person

* Validity Period From (MM/YYYY)

2.6.9 Fill in Add Plant ID into Extension Scheme if applicable

Description in details:

Fill in mandatory fields indicated with asterisks*

Assign Competent Person and Update Extension Validity Period.

▼ Add Plant ID into Extension Scheme

* Plant ID
202212345A0020001

* Select Competent Person
AE 02

* Validity Period From (MM/YYYY)
04/2023

* Validity Period To (MM/YYYY)
04/2026

* Extension Period (Months)
37

Remarks
Test

+ Add

Supporting Documents

Document Name	Document Type
---------------	---------------

2.6.10 Click on Add

Description in details:

The entry will be added to the Extension Details (Pending CP) table.

Assign Competent Person and Update Extension Validity Period.

▼ Add Plant ID into Extension Scheme

* Plant ID
202212345A0020001

* Select Competent Person
AE 02

* Validity Period From (MM/YYYY)
04/2023

* Validity Period To (MM/YYYY)
04/2026

* Extension Period (Months)
37

Remarks
Test

+ Add

Supporting Documents

Document Name	Document Type
---------------	---------------

2.6.11 Scroll down to Supporting Documents

Assign Competent Person and Update Extension Validity Period.

+ Add

Supporting Documents

Document Name	Document Type
Screenshot 2023-05-23 205917 - 1 - Copy - Copy (2).png	1. Completed Corporate-Level Approval application form.
Screenshot 2023-05-23 205917 - 1 - Copy (3).png	2. Appointment of Competent Person(s).
Screenshot 2023-05-23 205917 - 1 - Copy (2) - Copy.png	3. Appointment of auditing organisation(s) accredited by Singapore Accreditation Council (SAC).
Screenshot 2023-05-23 205917 - 1 - Copy (2).png	4. Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.
Screenshot 2023-05-23 205917 - 1 - Copy (3) - Copy.png	5. Pressure Vessel Management System (PVMS).
Screenshot 2023-05-23 205917 - 1 - Copy - Copy.png	6. Scheme to Guarantee the Safe Use (SGSU).

Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.


2.6.12 Review Supporting Documents

Description in details:

Users can click on the highlighted area to upload additional supporting documents.

Assign Competent Person and Update Extension Validity Period.

Document Name	Document Type
Screenshot 2023-05-23 205917 - 1 - Copy - Copy (2).png	1. Completed Corporate-Level Approval application form.
Screenshot 2023-05-23 205917 - 1 - Copy (3).png	2. Appointment of Competent Person(s).
Screenshot 2023-05-23 205917 - 1 - Copy (2) - Copy.png	3. Appointment of auditing organisation(s) accredited by Singapore Accreditation Council (SAC).
Screenshot 2023-05-23 205917 - 1 - Copy (2).png	4. Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.
Screenshot 2023-05-23 205917 - 1 - Copy (3) - Copy.png	5. Pressure Vessel Management System (PVMS).
Screenshot 2023-05-23 205917 - 1 - Copy - Copy.png	6. Scheme to Guarantee the Safe Use (SGSU).


 Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

Submit → Cancel

2.6.13 Select the Document type for uploaded supporting documents

Assign Competent Person and Update Extension Validity Period.

Copy (2) - Copy.png		
Screenshot 2023-05-23 205917 - 1 - Copy (2).png	4. Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.	
Screenshot 2023-05-23 205917 - 1 - Copy (3) - Copy.png	5. Pressure Vessel Management System (PVMS).	
Screenshot 2023-05-23 205917 - 1 - Copy - Copy.png	6. Scheme to Guarantee the Safe Use (SGSU).	

 Drag and drop or browse files.
jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

Document Name	Document Type	Action
Screenshot 2023-05-23 205917 - 1 - Copy (3).png	<div style="border: 1px solid gray; padding: 2px;"><ul style="list-style-type: none">Singapore Accreditation Council (SAC).4. Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.5. Pressure Vessel Management System (PVMS).6. Scheme to Guarantee the Safe Use (SGSU).7. (For PVES 2021 applications) Risk-based Inspection (RBI) methodology and procedures.8. Other supporting documents.</div>	Remove

Submit → Cancel

Report vulnerability [Privacy](#) [Terms of use](#) [Sitemap](#) © 2023 Government of Singapore.

2.6.14 Click on Submit

Description in details:

Cancel - Return to Dashboard

Assign Competent Person and Update Extension Validity Period.

Screenshot 2023-05-23 205917 - 1 - Copy (2) - Copy.png	3. Appointment of auditing organisation(s) accredited by Singapore Accreditation Council (SAC).
Screenshot 2023-05-23 205917 - 1 - Copy (2).png	4. Certification of in-house Inspection or Maintenance Department as accredited Inspection Body (IB) under the SAC IB scheme, or appointment of an accredited IB.
Screenshot 2023-05-23 205917 - 1 - Copy (3) - Copy.png	5. Pressure Vessel Management System (PVMS).
Screenshot 2023-05-23 205917 - 1 - Copy - Copy.png	6. Scheme to Guarantee the Safe Use (SGSU).

Drag and drop or browse files.
Jpg, png, or pdf only. Single file size must not exceed 10MB and total file size must not exceed 250MB.

Document Name	Document Type	Action
Screenshot 2023-05-23 205917 - 1 - Copy (3).png	7. (For PVES 2021 applications) Risk-based Inspection (RBI) ▾	Remove

Submit → **Cancel**

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

2.6.15 User will be redirected to the Acknowledgement

A Singapore Government Agency Website

MINISTRY OF MANPOWER

Representative User: User 180058593H
Role: Company Representative [Log out](#)

Home > Apply Corporate Level Approval

Update Corporate Level Approval

Assign Competent Person and Update Extension Validity Period.

Success

The details of the Corporate Level Approval have been updated.

Corporate Level Approval Details

CLA No.: CLA202212345A0020-2023-001

Back to Dashboard

[Report vulnerability](#) [Privacy](#) [Terms of use](#) [Sitemap](#) [Contact us](#) [Supported browsers](#)

© 2023 Government of Singapore.

3 Annex

3.1 Annex A (List of Enhancements for iOSH 2.0)

- **Single logon for both Lifting Equipment and Pressure Vessel eService modules** – Users will only need to perform a single logon and toggle between the Lifting Equipment and Pressure Vessel tabs;
- **Digital signing of certificates and reports** – All certificates generated for statutory equipment are digitally signed during the process of submission of examination records by Authorised Examiners. Hence, Authorised Examiners will not need to stamp or insert their wet-ink signatures on digitally signed certificates and reports. Please note that the submission is completed and the examination record is validated only after the certificates and reports have been digitally signed. Authorised Examiners can download and provide owners with the digitally signed copies of the examination certificates and reports;
- **Draft certificate of test and examination, report of examination and certificate of extension** – A draft copy of the certificate of test and examination, report of examination and extension certificate could be downloaded by Authorised Examiners before submitting and digitally signing the certificate or report. These draft copies are made available for the sole purpose of facilitating information verification;
- **Past examination records** – Authorised Examiners will be able to view details of historical examination records;
- **Updating of registration and examination records within 28 days of registration or examination date** – Most data fields in the registration record (except for owner and workplace details, registration number, and Lifting Equipment and Pressure Vessel class) and examination record will be made editable by Authorised Examiners, within 28 days from the registration or examination date;
- **Restricting Upgrading of Maximum Safe Working Load** – Authorised Examiners would be provided with an option to restrict the upgrading of maximum safe working load of Lifting Equipments in subsequent examinations based on technical and professional judgement during examinations;
- **Additional and mandatory data fields** – Lifting Equipment particulars such as brand and model of data logger and stability control system, and Pressure Vessel particulars such as design code and the manner in which water is fed into steam boilers will be made mandatory. Authorised Examiners will be prompted to enter the information when submitting the next examination record if such information in existing records are unavailable, with “Design Code (Sub)” referring to the specific section or division of the main design code; and
- **Mandatory documents** – Validation checks are incorporated to ensure that all mandatory Document Types are uploaded before submission.

- **Registration Summary with QR code**

- A new document "Registration Summary", showing key details of the Lifting Equipment and Pressure Vessel will be introduced. This document can be downloaded by owners upon logging in to iOSH 2.0. The Registration Summary shall be printed in any size depending on practicality and owner's preference, and affixed onto the Lifting Equipment or Pressure Vessel as a form of identification. With this, "silver stickers" traditionally used to fulfil such purpose will no longer be required. The Registration Summary includes a QR code that is unique to each Lifting Equipment and Pressure Vessel. Upon scanning the QR code with any internet-enabled device, further details of the Lifting Equipment or Pressure Vessel and its live registration status would be provided without the need for any login.



3.2 Annex B (Registration Summary)

3.2.1 Registration Summary


Description in details:

Scan the QR code to access the Registration Status of Statutory Equipment page.



Occupational Safety and Health Division

Registration of Statutory Equipment

REGISTRATION SUMMARY	
Registration No. :	BR000142B
Statutory Equipment Type :	Pressure Vessel
Owner Name :	Company 180081828W Pte Ltd
Brand and Model :	BrandModel 005
Distinctive No. :	Distinctive 123
Scan for Details :	 BR000142B

This is a computer-generated document that requires no signature.

Contact MOM at 6438 5122 or mom_oshd@mom.gov.sg for any clarification or feedback.

3.2.2 Registration Status of Statutory Equipment

A Singapore Government Agency Website



Registration Status of Statutory Equipment

Status correct as at 09 Aug 2023 16:42 PM SGT

Pressure Vessel Particulars

Registration No. :	SR000003B
Statutory Equipment Classification:	Steam Receiver
Brand and Model:	BM00183
Distinctive No. :	DNo. 10294
Owner Name:	Company 180081828W Pte Ltd
Equipment Location:	218 Ang Mo Kio Street 38 #38-218 Building 38 SINGAPORE 212358

Statutory Examination Details

Last Examination Date (DD/MM/YYYY) :	
Authorised Examiner Name:	Johnson Nurjan Boewono @ Ng Cheng Huat
Next Examination Due Date (DD/MM/YYYY):	

A Singapore Government Agency Website



Registration Status of Statutory Equipment

Status correct as at 09 Aug 2023 16:42 PM SGT

Pressure Vessel Particulars


Registration No. :	SR000003B
Statutory Equipment Classification:	Steam Receiver
Brand and Model:	BM00183
Distinctive No. :	DNo. 10294
Owner Name:	Company 180081828W Pte Ltd
Equipment Location:	218 Ang Mo Kio Street 38 #38-218 Building 38 SINGAPORE 212358

Statutory Examination Details

Last Examination Date (DD/MM/YYYY) :	
Authorised Examiner Name:	Johnson Nurjan Boewono @ Ng Cheng Huat
Next Examination Due Date (DD/MM/YYYY):	

3.3 Annex C (Report of Examination of Pressure Vessel)

3.3.1 Report of Examination of Pressure Vessel (1)

 MINISTRY OF MANPOWER	WORKPLACE SAFETY AND HEALTH ACT		PV Registration No. BR100011A
	REPORT OF EXAMINATION OF PRESSURE VESSEL		Next Examination Date 30/06/2024


OWNER AND WORKPLACE DETAILS			
OWNER	: ABC Pte. Ltd.	OWNER UEN	: UEN1234
WORKPLACE ADDRESS	:	WORKPLACE NO.	:

PARTICULARS			
VESSEL CLASS	: Steam Boiler	SAFE WORKING PRESSURE (kN/m²)	: 250.0
VESSEL TYPE	: Steriliser	TEST PRESSURE (kN/m²)	: 400.0
BRAND AND MODEL	: Steriliser 1234	VOLUME (m³)	: 22.00
DISTINCTIVE NO.	: S0001	HEATING SURFACE (m²)	: 10.0
YEAR OF MFG	: 2022	HEATING SOURCE	: Electricity
COUNTRY/REGION OF MFG	: Belarus	REGISTRATION DATE	: 01/07/2023
INSTALLATION	: Permanent	TYPE APPROVAL NO.	:
MOBILITY	: Stationary	PARENT PV REG. NO.	:
DESIGN CODE	: ASME BPVC	GROUP PLANT ID	:

DESCRIPTION				
TANK/VESSEL				
	SHAPE	SIDE PRESSURE ACTS ON	THICKNESS (mm)	MATERIAL
HEAD1	: Flat	Others	10.00	SA106
HEAD2	: Flat	Others	10.00	SA106
SHELL	:		10.00	SA106
DIA1/WIDTH (mm)	:		DIA2/WIDTH (mm)	:
HEIGHT/LENGTH (mm)	: 10.00			

TESTS PERFORMED IN THIS EXAMINATION		PRESSURE AND THICKNESS TEST DETAILS	
DESCRIPTION	TEST DATE	DESCRIPTION	TEST DATE
Visual Examination	01/07/2023	Latest Pressure Test	01/07/2023
Basic Visit	01/07/2023	Latest Thickness Test	01/07/2023
Running Test	01/07/2023		
Ultrasonic Thickness Test	01/07/2023		

3.3.2 Report of Examination of Pressure Vessel (2)

 MINISTRY OF MANPOWER	WORKPLACE SAFETY AND HEALTH ACT REPORT OF EXAMINATION OF PRESSURE VESSEL	PV Registration No. BR100011A
		Next Examination Date 30/06/2024

OBSERVATIONS

Everything okay.

CONDITIONS

Everything good.

I certify that on **01/07/2023** the pressure vessel described in this report, including its fittings, attachments and appliances, was thoroughly examined by me, as far as its construction permits, and that the above is a true report of my examination.

I further certify that the pressure vessel is found to be in compliance with the requirements stipulated in the Workplace Safety and Health Act and its subsidiary legislations, and is safe for use.

Digitally signed by


This report is digitally signed and current status of the vessel is verifiable through the QR code.



SAMPLE

3.4 Annex D (Certificate of Extension of Statutory Examination Period of Pressure Vessels at Workplaces

3.4.1 Extension Certificate (1)



WORKPLACE SAFETY AND HEALTH ACT
CERTIFICATE OF EXTENSION OF STATUTORY EXAMINATION PERIOD OF PRESSURE VESSELS AT WORKPLACES

CERTIFICATE NO.: _____

Pursuant to Regulation 31A of the Workplace Safety and Health (General Provisions) Regulations, I hereby certify, subject to the conditions specified herein, that the periodic examination of the pressure vessel(s) specified in the List of Pressure Vessels covered under this certificate, including all its fittings and attachments, which is/are owned by **Test 02 Pte. Ltd.** for its workplace at **At various locations**, is hereby extended to the period stipulated herein.

- 2 This certificate shall remain in force within the extension period stipulated herein, or if revoked in writing by the Commissioner for Workplace Safety and Health.
- 3 **Test 02 Pte. Ltd.** is to implement all measures stated in the Pressure Vessel Management System (PVMS) and the Scheme to Guarantee Safe Use (SGSU) submitted in support of the Scheme for Extension of Statutory Examination Period of Pressure Vessels at Workplaces (version 2021).
- 4 **Test 02 Pte. Ltd.** shall carry out all on-stream inspection activities as set out in the Guidelines on Scheme for Extension of Statutory Examination Period of Pressure Vessels at Workplaces (version 2021) within the extension period.

LIST OF PRESSURE VESSELS COVERED UNDER THIS CERTIFICATE

Plant ID: **202212051Z0002002**

Extension Period: **09 MAY 2023 to 31 MAY 2023**

BE100494L	BS100492A	BR100498E	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L
BE100494L	BE100494L	BE100494L	BE100494L	BE100494L

Made this **09 MAY 2023**

Continued on page 2

Certificate No.:

Page 1 of 3

3.4.2 Extension Certificate (2)

CERTIFICATION BY COMPETENT PERSON

I hereby certify that I have made the necessary technical assessment of the pressure vessel(s) listed in the certificate, including making assessment of the condition and remaining life of the vessel(s) to support the continual operability of the vessel(s) during the extension period in accordance with the requirements of the Scheme for Extension of Statutory Examination Period of Pressure Vessels at Workplaces (version 2021).

I acknowledge that I am fully aware of, and will fully comply with, my duties and responsibilities as a competent person that are specified in the Scheme for Extension of Statutory Examination Period of Pressure Vessels at Workplaces (version 2021).



Name of Competent Person

Digitally signed by



Signature and Date

This certificate is digitally signed.

SAMPLE